Data Cards for Modern Penguins and Pedro

The trait variation data used in this lesson were compiled and merged from the following two resources.

- supporting online material published along with Clarke, J. A., Ksepka, D. T.,
 Salas-Gismondi, R., Altamirano, A. J., Shawkey, M. D., D'Alba, L., Vinther, J., DeVries, T. J.,
 Baby, P. (2010). Fossil evidence for evolution of the shape and color of penguin feathers. Science, 330(6006), 954–957. https://doi.org/10.1126/science.1193604
- appendix published along with Clarke, J. A., Ksepka, D. T., Stucchi, M., Urbina, M., Giannini, N., Bertelli, S., Narvaez, Y., & Boyd, C. A. (2007). Paleogene equatorial penguins challenge the proposed relationship between biogeography, diversity, and Cenozoic climate change. *Proceedings of the National Academy of Sciences*, 104(28), 11545–11550. https://doi.org/10.1073/pnas.0611099104



Height: 2.3-3.3 ft (70-101 cm)

Weight: 21-40 lb (9.5-18 kg)



Deep diver
Swims close to shore



Diet: fish such as lantern fish, krill, squid

Predators (eggs and chicks): carnivorous birds such as skuas and giant petrels

Predators (adults): seals, killer whales

Sexual maturity: 5-6 years

Nesting month(s): November-January

Number of eggs: 1


Incubation: in 1- to 2.5-week shifts (both \rightarrow female \rightarrow male) for 50-60 days

Nest: none; incubate egg on top of feet

ALIVE TODAY

Estimated # of breeding pairs in the population: 2,300,000





Fiordland Penguin

Height: 1.8-2 ft (54-61 cm)

Weight: 5-11 lb (2.3-5 kg)




Unknown depth

Swims close to shore



TOPIUM UNG GATUS MAIL MINE MAILUM MAI



Diet: fish, krill and other crustaceans, squid

Predators (eggs and chicks): carnivorous birds such

as skuas

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 2-3 years

Nesting month(s): July-August

Number of eggs: 2 (different sizes)

Incubation: in three equal shifts (both→

female→ male) for 35 days

Nest: in forest under vegetation or rocks; in caves

ALIVE TODAY

Estimated # of breeding pairs in the population: 2,500

Northern Rockhopper Penguin

Height: 1.7-1.8 ft (52-55 cm)

Weight: 5-6 lb (2.3-2.7 kg)



Shallow diver
Swims close to and far from shore



Brian Gratwicke CC BY 2.0 (cropped)

Diet: fish, krill and other crustaceans, squid

Predators (eggs and chicks): carnivorous birds such

as skuas

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 4 years

Nesting month(s): July-August

Number of eggs: 2 (different sizes)


Incubation: in three equal shifts (both \rightarrow

female→ male) for 36 days

Nest: built from tufts of grass, peat, and pebbles

ALIVE TODAY

Estimated # of breeding pairs in the population: 350,000



penguins

Southern Rockhopper Penguin

Height: 1.7-1.8 ft (52-55 cm)

Weight: 5-6 lb (2.3-2.7 kg)



Shallow diver
Swims close to and far from shore



Diet: fish, krill and other crustaceans, squid

Predators (eggs and chicks): carnivorous birds such

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 4 years

Nesting month(s): October-November

Number of eggs: 2 (different sizes)


Incubation: in three equal shifts (both \rightarrow


female→ male) for 36 days

Nest: built from twigs, bones, rocks, plants

ALIVE TODAY

Estimated # of breeding pairs in the population: 500,000





Macaroni Penguin

Height: 1.7-2.3 ft (52-70 cm)

Weight: 7-14 lb (3.2-6.4 kg)



Shallow diver
Swims far from shore



Flizabeth Oliver CC RV-NC 2 O

Diet: fish, krill and other crustaceans, squid

Predators (eggs and chicks): carnivorous birds such as skuas and giant petrels

Predators (adults): killer whales, seals such as leopard seals and fur seals

Sexual maturity: 5-6 years

Nesting month(s): November

Number of eggs: 2 (different sizes)


Incubation: in three equal shifts (both \rightarrow


female→ male) for 35 days

Nest: built from pebbles, mud, and sand; bare rock

ALIVE TODAY

Estimated # of breeding pairs in the population: 11,800,000





Gentoo Penguin

Height: 1.7-2.9 ft (52-88 cm)

Weight: 10-19 lb (4.5-8.6 kg)



Deep diver Swims close to shore



Liam Quinn CC BY-SA 2.0

Diet: fish, krill and other crustaceans, squid

Predators (eggs and chicks): carnivorous birds such as skuas and giant petrels

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 2-3 years

Nesting month(s): October

Number of eggs: 2


Incubation: shared by monogamous parents who

switch daily for 34-36 days

Nest: circle pile of stones or tufts of grass

ALIVE TODAY

Estimated # of breeding pairs in the population: 600,000



Emperor Penguin

Height: 3.6-3.9 ft (110-119 cm)

Weight: 50-100 lb (22.7-45.4 kg)



Deep diver

Swims close to shore



Ian Duffy CC BY 2.0

Christopher Michel CC BY 2.0

Diet: fish, krill and other crustaceans, squid

Predators (eggs and chicks): carnivorous birds such

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 5-6 years

Nesting month(s): May-June


Number of eggs: 1


Incubation: by male for 65 days

Nest: none; incubate egg on top of feet

ALIVE TODAY

Estimated # of breeding pairs in the population: 220,000





Adélie Penguin

Height: 1.5-2.3 ft (46-70 cm)

Weight: 8-13 lb (3.6-5.9 kg)



Medium diver Swims far from shore



Diet: fish, krill

Predators (eggs and chicks): carnivorous birds such as skuas and giant petrels

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 3-4 years

Nesting month(s): December


Number of eggs: 1-2


Incubation: by both parents for 36 days

Nest: stones piled together

ALIVE TODAY

Estimated # of breeding pairs in the population: 3,800,000





Chinstrap Penguin

Height: 2.2-2.5 ft (67-76 cm)

Weight: 7-12 lb (3.2-5.4 kg)



Shallow diver Swims far from shore



Liam Quinn CC BY-SA 2.0

Christopher Michel CC BY 2.0

Diet: fish, krill

Predators (eggs and chicks): carnivorous birds such as skuas and giant petrels

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 3 years

Nesting month(s): November


Number of eggs: 2


Incubation: by both parents in 6-day shifts for 37

Nest: circular nests built from stones

ALIVE TODAY

Estimated # of breeding pairs in the population: 8,000,000





Snares Penguin

Height: 1.6-2 ft (49-61 cm)

Weight: 5.5-8.8 lb (2.5-4 kg)



Shallow diver Swims far from shore



Diet: krill, fish, squid

Predators (eggs and chicks): carnivorous birds such as skuas and

giant petrels

Predators (adults): seals, sea lions

Sexual maturity: 4-9 years

Nesting month(s): September-January

Number of eggs: 2 (different sizes)

Incubation: in 3 equal shifts (both \rightarrow female \rightarrow male) for 31-37


days


Nest: shallow hole with grass, leaves, twigs, pebbles built in

forests or on rocks

ALIVE TODAY

Estimated # of breeding pairs in the population: 25,000





Erect-crested Penguin

Height: 1.7-2.3 ft (52-70 cm)

Weight: 5-13 lb (2.3-5.9 kg)



Unknown dive depth Swims close to shore



Diet: fish, krill, squid

Predators (eggs and chicks): carnivorous birds such as skuas,

possibly mice

Predators (adults): sea lions

Sexual maturity: 4 years

Nesting month(s): October - February


Number of eggs: 2


Incubation: shared by monogamous parents, about 35 days

Nest: on rocks, with little to no nesting material to line nests

ALIVE TODAY

Estimated # of breeding pairs in the population: 68,500





Magellanic Penguin

Height: 2-2.5 ft (61-76 cm)

Weight: 8-14 lb (3.6-6.4 kg)



Shallow diver
Swims far from shore



Diet: squid, fish such as cuttlefish, krill and other crustaceans, jellyfish, and they ingest seawater with their prev

Predators (eggs and chicks): foxes, rats, cats such as pets or pumas, carnivorous birds such as skuas, gulls

Predators (adults): seals, killer whales, sea lions, carnivorous birds such as giant petrels and fulmars

Sexual maturity: 4-5 years

Nesting month(s): September-April


Number of eggs: 2

Incubation: shared by parents, lasting 39-42 days with parents taking 10-15 day shifts

Nest: built under bushes or in burrows

ALIVE TODAY

Estimated # of breeding pairs in the population: 200,000



Humboldt Penguin

Height: 1.8-2.3 ft (55-71 cm)

Weight: 8-13 lb (3.6-5.9 kg)



Shallow diver

Swims close to shore



Diet: squid, fish such as sardines and anchovies

Predators (eggs and chicks): foxes, gulls

Predators (adults): seals, killer whales, sharks

Sexual maturity: 3 years

Nesting month(s): March-December, August-September


Number of eggs: 2


Incubation: shared by parents, changing duties regularly for 40-47 days

Nest: cliff tops, burrow or cave

ALIVE TODAY

Estimated # of breeding pairs in the population: 12,000





African Penguin

Height: 2-2.3 ft (61-70 cm)

Weight: 4-11 lb (1.8-5 kg)



Medium diver Swims close to shore



Diet: squid, krill and other small crustaceans, fish such as sardines and anchovies

Predators (eggs and chicks): gulls, cats such as pets or caracals, cat-like animals such as mongoose or genets

Predators (adults): seals, sharks

Sexual maturity: 2-3 years

Nesting month(s): March-May

Number of eggs: 2


Incubation: shared equally by both parents for 40 days

Nest: built in burrows dug in guano or scrapes in the sand

under boulders or bushes

ALIVE TODAY

Estimated # of breeding pairs in the population: 55,000



distribution for this

type of penguin

distribution for all types of modern penguins

Little Penguin

Height: 1-1.1 ft (30-34 cm)

Weight: 2-3.5 lb (1-1.6 kg)



Shallow diver

Swims close to shore



Diet: krill and other crustaceans, squid, small octopus, fish such as sardines and anchovies

Predators (eggs and chicks): rats, dogs, cats, carnivorous birds such as skuas, gulls, sheathbills

Predators (adults): seals, killer whales, sea lions

Sexual maturity: 2-3 years

Nesting month(s): July-February

Number of eggs: 2


Incubation: by both parents for 35-36 days

Nest: situated close to sea, dug out burrows or


caves, crevices, logs

ALIVE TODAY

Estimated # of breeding pairs in the population: 250,000



AUSTRALIA



Yellow-eyed Penguin

Height: 1.8-2.6 ft (55-79 cm)

Weight: 8-19 lb (3.6-8.6 kg)



Deep diver Swims close to shore



Diet: squid, jellyfish, fish such as red cod, opal fish, sprat

Predators (eggs and chicks): cats, dogs, weasel-like animals such as ferrets or stoats

Predators (adults): seals, sharks, sea lions, fish such as barracouta

Sexual maturity: 3-10 years

Nesting month(s): August-March

Number of eggs: 2


Incubation: by both parents for 43 days

Nest: shallow scrapes of leaves, twigs, grass



Estimated # of breeding pairs in the population: 1,700





Royal Penguin

Height: 2.1-2.5 ft (64-76 cm)

Weight: 6.6-17.6 lb (3-8 kg)



Deep diver

Swims close to shore



Diet: fish, krill and other small crustaceans, squid

Predators (eggs and chicks): carnivorous birds such as skuas

Predators (adults): seals such as elephant seals and fur seals

Sexual maturity: 7-9 years

Nesting month(s): September-February

Number of eggs: 2


Incubation: by both parents in 12-day shifts for 35 days


Nest: built from small pebbles and scraping out mud or

sand; bare rock

ALIVE TODAY

Estimated # of breeding pairs in the population: 850,000





Galápagos Penguin

Height: 1.6-1.8 ft (48-55 cm)

Weight: 3.7-5.7 lb (1.7-2.6 kg)



Shallow diver Swims close to shore



Diet: anchovies, sardines, mullet, crustaceans

Predators (eggs and chicks): crabs, snakes, rice rats, cats, Galapágos hawks, short-eared owls

Predators (adults): sharks, fur seals, sea lions

Sexual maturity: 3-6 years

Nesting month(s): May-January

Number of eggs: 1-2


Incubation: by both parents in shifts lasting several days for


38-40 days

Nest: built in cracks in lava and in beaches near sea level

ALIVE TODAY

Estimated # of breeding pairs in the population: 1,000






Water King Penguin / Pedro

Height: 5 ft (152 cm)

Weight: [estimated] 100-200 lb (45-91 kg)



Suspected Deep Diver
Unknown dive location



Approximate location of where this fossil formed 36 million years ago (m

Diet: unknown

Predators (eggs and chicks): unknown

Predators (adults): unknown

Sexual maturity: unknown

Nesting month(s): unknown

Number of eggs: unknown

Incubation: unknown

Nest: unknown

LIVED ~36 Million years ago (mya)

Estimated # of breeding pairs in the population: unknown

